
Overview elements QUGB

made of glass and metal in slim format with homogeneously backlit information areas.

Σ quintessenz



Overview elements QUGB

 Σ quintessenz

meng

signsystems

Exchange illuminated information with a few simple steps.

Minimum construction depth 67 mm Side view with 48 mm aluminum 48 mm system profile and 19 mm shadow gap. ======== Simple revision Homogeneous 2000 mm LED light distribution 150 mm

With the realization of the planner's specifications for largely frameless lighting elements made of glass, a product development was created that solved several tasks:

Construction depth less than 70 mm A homogeneous LED light distribution without dazzling effect is created with a sophisticated technology in a confined space, which avoids any kind of shadow or disturbance of the illumination.

QUGB 20064 S

QUGB stands for quintessenz

overviews glass

illuminated

Article description

- Backlighting up to the edges Materials Fire protection class A1, non-combustible.
- Slight revision of the heavy Glasflügel.
- Change of information Contents are not glued, but can be

updated in no time at all. The glass unit can be opened so far that the inscribed insert films can be changed quickly and easily. Many customers have their inscriptions managed by our service. The updated inlay foils are

QUGB 20064 S

Height in cm

64 Outer width in cm

marking width 59,7 cm

200

Size





0

640 mm

immediately reprinted and sent in a quiver for exchange to the building services department on site.

UGB 20064 <mark>S</mark>	
lackiert silver anodized	Due to the weight, installation can only be carried out on load-bearing wall surfaces. Please ask our planning service for other
	dimensions.
ariants	Made to measure